

FIG. 1




FIG. 2





FIG. 3

C:\TestStand\Examples\XML Reports\computer.seq			
Main Setup Cleanup Parameters Locals View: MainSequence			
Step	Description	Execution Flow	Comment
Power On	Numeric Limit Test, 12 <= x <= 15, volt, Call P...	Precondition	
CPU	Call MainSequence in cpu.seq	Precondition	
ROM	Pass/Fail Test, Call ROMTest (computer.dll)	Precondition	
RAM	Pass/Fail Test, Call RAMTest (computer.dll)	Precondition	
Video	Numeric Limit Test, 70 <= x <= 75, hertz, Call ...	Precondition	
Keyboard	Pass/Fail Test, Call KeyboardTest (computer.dll)	Precondition	
ROM Diagnostics	Action, Call ROMDiagnostics (computer.dll)	Precondition	
RAM Diagnostics	Action, Call RAMDiagnostics (computer.dll)	Precondition	
Video Diagnostics	Action, Call VideoDiagnostics (computer.dll)	Precondition	
Keyboard Diagnostics	Action, Call KeyboardDiagnostics (computer.dll)	Precondition	
END			
No Steps Selected			Number of Steps: 10

FIG. 4






FIG. 6




FIG. 7




FIG. 8